

SAFETY DATA SHEET

Vision + - Autobrite Direct

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Vision + - Autobrite Direct
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Glass cleaner.
Uses advised against	Use only for intended applications.
1.3. Details of the supplier of	the safety data sheet
Supplier	Autobrite Direct Limited
	Whittle Road
	Meir
	Stoke-on-Trent
	Staffordshire
	ST3 7TU
	01782 623 819
	info@autobritedirect.co.uk
1.4. Emergency telephone nu	umber
Emergency telephone	01782 623819 - Mon-Fri - 9am-5pm - Autobrite Direct Limited
SECTION 2: Hazards identified	cation
2.1. Classification of the subs	stance or mixture
Classification (EC 1272/2008	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
2.3. Other hazards	

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

propan-2-ol			1-5%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-XXXX	
Classification			
Flam. Liq. 2 - H225			
Eye Irrit. 2 - H319			
STOT SE 3 - H336			
reaction mass of: 5-chloro-2-meth no. 247-500- 7]and 2-methyl-2H-i 220-239-6] (3:1)			<1%
CAS number: 55965-84-9	EC number: 611-341-5		
M factor (Acute) = 10	M factor (Chronic) = 1		
Classification			
Acute Tox. 3 - H301			
Acute Tox. 3 - H311			
Acute Tox. 3 - H331			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Skin Sens. 1 - H317			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms and effects, both acute and delayed	

exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.		
IngestionGastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.Skin contactProlonged contact may cause dryness of the skin.Eye contactMay cause temporary eye irritation.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.SECTION 5: Firefighting measures5.1. Extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaDo not use water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to finers with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including hemets, protective boots and gloves) will provide a basic level of protection for chemical incidents. <th>General information</th> <th></th>	General information	
be inhaled, resulting in the same symptoms as inhalation. Skin contact Prolonged contact may cause dryness of the skin. Eye contact May cause temporary eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Notes for the doctor Treat symptomatically. SECTION 5: Firefighting media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water until well after the fire is out. If a leak or spill has not ignited, us water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to fiames with water until well after the fire is out. If a leak or spill has not ignited, water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefightrers Wear positive-pressure sel	Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Eye contact May cause temporary eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Do not use water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media S.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents, protective boots and gloves) will provide a basic level of prote	Ingestion	
4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Do not use water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Skin contact	Prolonged contact may cause dryness of the skin.
Notes for the doctor Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Do not use water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Special hazards arising from the substance or mixture Specific hazards Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Eye contact	May cause temporary eye irritation.
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	4.3. Indication of any immedia	te medical attention and special treatment needed
5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Notes for the doctor	Treat symptomatically.
Suitable extinguishing mediaThe product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours.Protective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	SECTION 5: Firefighting meas	sures
powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	5.1. Extinguishing media	
media5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Suitable extinguishing media	
Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.		Do not use water jet as an extinguisher, as this will spread the fire.
Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours.Protective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective olothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	5.2. Special hazards arising from	om the substance or mixture
productsHarmful gases or vapours.5.3. Advice for firefightersProtective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Protective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.		
firefightingwater spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	5.3. Advice for firefighters	
for firefighters clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	-	water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use
SECTION 6: Accidental release measures		

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with alkali. Caution. May generate heat. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with
	if contaminated water is flushed directly to the sewer. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs.
	Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have
	been read and understood. Do not handle broken packages without protective equipment.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store away from the following materials: Alkalis. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Acids.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

8.1. Control parameters

Occupational exposure limits

propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

No exposure limits known for ingredient(s). WEL = Workplace Exposure Limit.

propan-2-ol (CAS: 67-63-0)

DNEL	Workers - Dermal; Long term systemic effects: 888 mg/kg/day Workers - Inhalation; Long term systemic effects: 500 mg/m ³ Consumer - Dermal; Long term systemic effects: 319 mg/kg/day Consumer - Inhalation; Long term systemic effects: 89 mg/m ³ Consumer - Oral; Long term systemic effects: 26 mg/kg/day
PNEC	Fresh water; 140.9 mg/l marine water; 140.9 mg/l Intermittent release; 140.9 mg/l STP; 2251 mg/l Sediment; 552 mg/kg Soil; 28 mg/kg Secondary poisoning.; 160 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

Oxidising properties

Comments

Vision + - Autobrite Direct

Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use.
SECTION 9: Physical and che	mical properties
9.1. Information on basic physi	ical and chemical properties
Appearance	Liquid.
Colour	Purple.
Odour	Characteristic.
Odour threshold	Not determined.
рН	pH (concentrated solution): ~6
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Other flammability	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	~ 1
Bulk density	Not determined.
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not determined.
Explosive under the influence of a flame	Not considered to be explosive.

Information given is applicable to the product as supplied.

Not determined.

9.2. Other information			
Other information	No relevant information available.		
Refractive index	Not determined.		
Particle size	Not determined.		
Molecular weight	Not determined.		
Volatility	Not determined.		
Saturation concentration	Not determined.		
Critical temperature	Not determined.		
Volatile organic compound	Not determined.		
SECTION 10: Stability and rea	activity		
10.1. Reactivity			
Reactivity	See the other subsections of this section for further details.		
10.2. Chemical stability			
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.		
10.3. Possibility of hazardous	10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	No potentially hazardous reactions known.		
10.4. Conditions to avoid			
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.		
10.5. Incompatible materials			
Materials to avoid	Alkalis. Amines.		
10.6. Hazardous decompositio	on products		
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.		
SECTION 11: Toxicological int	formation		
11.1. Information on toxicologi	ical effects		
Acute toxicity - oral Summary	Based on available data the classification criteria are not met.		
Acute toxicity - dermal Summary	Based on available data the classification criteria are not met.		
Acute toxicity - inhalation Summary	Based on available data the classification criteria are not met.		
Skin corrosion/irritation Summary	Based on available data the classification criteria are not met.		
Extreme pH	Moderate pH (> 2 and < 11.5).		
Serious eye damage/irritation Summary	Based on available data the classification criteria are not met.		

Respiratory sensitisation Summary	Based on available data the classification criteria are not met.
•	
Skin sensitisation Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity Summary	Based on available data the classification criteria are not met.
-	
Carcinogenicity Summary	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause temporary eye irritation.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
SECTION 12: Ecological infor	mation
•	
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
<u>12.1. Toxicity</u>	
<u>Acute aquatic toxicity</u> Summary	Based on available data the classification criteria are not met.
-	
<u>Chronic aquatic toxicity</u> Summary	Based on available data the classification criteria are not met.
12.2. Persistence and degrad	ability
	The degradability of the product is not known.
12.3. Bioaccumulative potential	ai No data available on bioaccumulation.
Bioaccumulative potential	

Partition coefficient	Not determined.
12.4. Mobility in soil	
Mobility	The product is water-soluble and may spread in water systems. The product is non-volatile.
12.5. Results of PBT and vPv	/B assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consi	derations
13.1. Waste treatment metho	ds
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport infor	mation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping nan	ne
Not applicable.	
14.3. Transport hazard class(es)	
No transport warning sign required.	
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant No.	
14.6. Special precautions for user	
Not applicable.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 2015/830 of 28 May 2015.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (a amended).

15.2. Chemical safety assessment

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
	IATA: International Air Transport Association.
	ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
	IMDG: International Maritime Dangerous Goods.
	CAS: Chemical Abstracts Service.
	ATE: Acute Toxicity Estimate.
	LC ₅₀ : Lethal Concentration to 50 % of a test population.
	LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose).
	EC ₅₀ : 50% of maximal Effective Concentration.
	PBT: Persistent, Bioaccumulative and Toxic substance.
	vPvB: Very Persistent and Very Bioaccumulative.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision date	13/08/2021
Revision	1

Hazard statements in full	H225 Highly flammable liquid and vapour.
	H301 Toxic if swallowed.
	H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H331 Toxic if inhaled.
	H336 May cause drowsiness or dizziness.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-
	7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic
	reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.